


# MOBIO: Mobile Biometry Idiap Contribution to WP4

Sébastien Marcel

marcel@idiap.ch

*Idiap research institute  
Martigny, Switzerland*

<http://www.idiap.ch>




## WP4 – Bi-Modal Authentication and Model Adaptation

- Bi-Modal Authentication:
  - Baseline (D4.1/D4.2 at m14/m18): simple late score fusion technique with a linear classifier
  - Advanced (D4.3/D4.4 at m24/m30): ...

## WP4 – Bi-Modal Authentication and Model Adaptation

- Bi-Modal Authentication:
  - Baseline (D4.1/D4.2 at m14/m18): simple late score fusion technique with a linear classifier
  - Advanced (D4.3/D4.4 at m24/m30):
    - \* dealing with asynchronous streams of data




- \*  $x_1^T$  is the sequence of audio frame features of length  $T$  ( $x_t \in^m$ )
- \*  $y_1^S$  is the sequence of video frame features of length  $S$  ( $y_s \in^n$ )
- \* audio and video frame features:
  - are not synchronized,
  - doesn't have the same length (here we assume  $S < T$ ),
  - doesn't have the same frame size.

## WP4 – Bi-Modal Authentication and Model Adaptation

- Bi-Modal Authentication:
  - Baseline (D4.1/D4.2 at m14/m18): simple late score fusion technique with a linear classifier
  - Advanced (D4.3/D4.4 at m24/m30):
    - \* concatenated face/speech features and model level fusion
    - \* joint modeling of A/V features using a static Bayesian Network

## WP4 – Bi-Modal Authentication and Model Adaptation

- Bi-Modal Authentication:
  - Baseline (D4.1/D4.2 at m14/m18): simple late score fusion technique with a linear classifier
  - Advanced (D4.3/D4.4 at m24/m30):
    - \* concatenated face/speech features and model level fusion




- using the polynomial expansion technique proposed by Campbell for speaker verification,
- streams would be merged in a very high dimensional space:

$$\hat{x} = \frac{1}{T} \sum_1^T \Psi^{audio}(x)_t \text{ and } \hat{y} = \frac{1}{S} \sum_1^S \Psi^{video}(x)_s \text{ where } \Psi^{audio}(x)_1^T \text{ and } \Psi^{video}(y)_1^S \text{ are the polynomial expansion sequences of audio/video frame features } x_1^T \text{ and } y_1^S,$$

## WP4 – Bi-Modal Authentication and Model Adaptation

- Bi-Modal Authentication:
  - Baseline (D4.1/D4.2 at m14/m18): simple late score fusion technique with a linear classifier
  - Advanced (D4.3/D4.4 at m24/m30):
    - \* concatenated face/speech features and model level fusion
    - \* joint modeling of A/V features using a static Bayesian Network



## WP4 – Bi-Modal Authentication and Model Adaptation

- Bi-Modal Authentication:
  - Baseline (D4.1/D4.2 at m14/m18): simple late score fusion technique with a linear classifier
  - Advanced (D4.3/D4.4 at m24/m30):
    - \* concatenated face/speech features and model level fusion
    - \* joint modeling of A/V features using a static Bayesian Network
- Model Adaptation:
  - Baseline (D4.5/D4.6 at m16/m20): systematic MAP adaptation of accepted samples
  - Advanced (D4.7/D4.8 at m26/m30): ?